ELSEVIER

Clinica Chimica Acta 278 (1998) 281–282

Author index

Volume 278 (1998)

Adachi, J., see Yagi, M. **278**, 67

Błaszczyk, J., see Kędziora-Kornatowska, K.Z. **278**, 45
Bairati, C., see Goi, G. **278**, 23
Barros, F., see Carracedo, A. **278**, 163
Bazin, H., see Livache, T. **278**, 171
Bonafè, L., see Goi, G. **278**, 23
Becker, P.J., see Delport, R. **278**, 55
Brender, J., see McNair, P. **278**, 243
Brochard, H., see Le Neel, T. **278**, 103
Broulik, P.D., Štěpán, J.J., Haas, T., Beta 2-microglobulin does not behave as a biological marker of bone remodelling in patients with primary hyperparathyroidism **278**, 61
Burlina, A., see Goi, G. **278**, 23

Canalias, F., see Gella, F.-J. **278**, 145
Carracedo, A., Barros, F., Loidi, L., Dominguez, F., Progress in methodology and standards in European molecular genetics laboratories **278**, 163
Cazaubiel, M., see Le Neel, T. **278**, 103
Colhoun, O., see Trendelenburg, C. **278**, 229

David, F., see De Smet, R. **278**, 1
Delport, R., Ubbink, J.B., Human, J.A., Becker, P.J., Myburgh, D.P., Hayward Vermaak, W.J., Antioxidant Vitamins and Coronary Artery Disease Risk in South African Males **278**, 55
De Smet, R., David, F., Sandra, P., Van Kaer, J., Lesaffer, G., Dhondt, A., Lameire, N., Vanholder, R., A sensitive HPLC method for the quantification of free and total *p*-cresol in patients with chronic renal failure **278**, 1
Dhondt, A., see De Smet, R. **278**, 1
Dominguez, F., see Carracedo, A. **278**, 163

Estey, C., see Graves, S. **278**, 269

Falconer-Smith, J.F., AssayFinder – an online database for clinical chemistry assays **278**, 95
Felder, R., see Graves, S. **278**, 269
Felder, R.A., Modular workcells: modern methods for laboratory automation **278**, 257
Férard, G., Lessinger, J.-M., Preparation of enzyme calibration materials **278**, 151
Ferrari, F., see Zuppi, C. **278**, 75
Forni, F., see Zuppi, C. **278**, 75

Gella, F.-J., Canalias, F., Calibration and traceability of enzyme and antibody measurements **278**, 145
Giardina, B., see Zuppi, C. **278**, 75
Goi, G., Bairati, C., Massaccesi, L., Lombardo, A., Bonafè, L., Zanardo, V., Burlina, A., Lysosomal enzymes in preterm infants with bronchopulmonary dysplasia: a potential diagnostic marker **278**, 23
Graves, S., Holman, B., Rossetti, M., Estey, C., Felder, R., Robotic automation of coagulation analysis **278**, 269

Haas, T., see Broulik, P.D. **278**, 61
Hayward Vermaak, W.J., see Delport, R. **278**, 55
Hoffmann, G.E., Concepts for the third generation of laboratory systems **278**, 203
Holman, B., see Graves, S. **278**, 269
Human, J.A., see Delport, R. **278**, 55

Joubert, M., see Moreau, A. **278**, 177

Kageoka, T., see Sasaki, M. **278**, 217

0009-8981/98/$ – see front matter Elsevier Science B.V. All rights reserved.
PII: S009-8981(98)00181-8

Kailner, A., Quality management in the medical laboratory: a comparison of draft standards **278**, 111
Kataoka, H., see Sasaki, M. **278**, 217
Kędziora-Kornatowska, K.Z., Luciak, M., Błaszczyk, J., Pawlak, W., Effect of aminoguanidine on the generation of superoxide anion and nitric oxide by peripheral blood granulocytes of rats with streptozotocin-induced diabetes **278**, 45
Kosugi, Y., see Morita, A. **278**, 35

Laboisse, C., see Le Neel, T. **278**, 185
Laboisse, C., see Moreau, A. **278**, 177
Lameire, N., see De Smet, R. **278**, 1
Le Neel, T., see Moreau, A. **278**, 177
Le Neel, T., Moreau, A., Laboisse, C., Truchaud, A., Comparative evaluation of automated systems in immunohistochemistry **278**, 185
Le Neel, T., Truchaud, A., Cazaubiel, M., Malvaux, S., Brochard, H., Technologies for implementation of quality assurance in the clinical laboratory **278**, 103
Lehmann, H.P., Certification standards transfer: from committee to laboratory **278**, 121
Lesaffer, G., see De Smet, R. **278**, 1
Lessinger, J.-M., see Férard, G. **278**, 151
Livache, T., Bazin, H., Mathis, G., Conducting polymers on microelectronic devices as tools for biological analyses **278**, 171
Loidi, L., see Carracedo, A. **278**, 163
Lombardo, A., see Goi, G. **278**, 23
Luciak, M., see Kędziora-Kornatowska, K.Z. **278**, 45

Malvaux, S., see Le Neel, T. **278**, 103
Massaccesi, L., see Goi, G. **278**, 23
Massey, K.L., see Trendelenburg, C. **278**, 229
Mathis, G., see Livache, T. **278**, 171
McNair, P., Brender, J., Talmon, J., Computer-aided test selection and result validation-opportunities and pitfalls **278**, 243
Messana, I., see Zuppi, C. **278**, 75
Mizuno, K., see Yagi, M. **278**, 67
Moreau, A., see Le Neel, T. **278**, 185
Moreau, A., Le Neel, T., Joubert, M., Truchaud, A., Laboisse, C., Approach to automation in immunohistochemistry **278**, 177
Morita, A., Numata, Y., Kosugi, Y., Noto, A., Takeuchi, N., Uchida, K., Stabilities of *N*-acetyl-β-D-glucosaminidase (NAG) isoenzymes in urine: advantage of NAG isoenzyme B measurement in clinical applications **278**, 35
Myburgh, D.P., see Delport, R. **278**, 55

Noto, A., see Morita, A. **278**, 35
Numata, Y., see Morita, A. **278**, 35

Ogura, K., see Sasaki, M. **278**, 217

Pawlak, W., see Kędziora-Kornatowska, K.Z. **278**, 45

Rossetti, M., see Graves, S. **278**, 269
Rossi, C., see Zuppi, C. **278**, 75

Sandra, P., see De Smet, R. **278**, 1
Sasaki, M., Kageoka, T., Ogura, K., Kataoka, H., Ueta, T., Sugihara, S., Total laboratory automation in Japan. Past, present and the future **278**, 217
Štěpán, J.J., see Broulik, P.D. **278**, 61
Sugihara, S., see Sasaki, M. **278**, 217

Takeuchi, N., see Morita, A. **278**, 35
Talmon, J., see McNair, P. **278**, 243
Tatsuno, Y., see Yagi, M. **278**, 67
Trendelenburg, C., Colhoun, O., Wormek, A., Massey, K.L., Knowledge-based test result interpretation in laboratory medicine **278**, 229
Truchaud, A., see Le Neel, T. **278**, 103
Truchaud, A., see Le Neel, T. **278**, 185
Truchaud, A., see Moreau, A. **278**, 177
Ubbink, J.B., see Delport, R. **278**, 55
Uchida, K., see Morita, A. **278**, 35
Ueta, T., see Sasaki, M. **278**, 217

Valdiguié, P.M., Role and use of expert systems within the clinical laboratory **278**, 193
Vanholder, R., see De Smet, R. **278**, 1
Van Kaer, J., see De Smet, R. **278**, 1

Wormek, A., see Trendelenburg, C. **278**, 229

Yagi, M., Adachi, J., Tatsuno, Y., Mizuno, K., Change in nitric oxide in humans due to application of a pneumatic tourniquet **278**, 67

Zanardo, V., see Goi, G. **278**, 23
Zinder, O., New directions in laboratory-clinician communications **278**, 83
Zuppi, C., Messana, I., Forni, F., Ferrari, F., Rossi, C., Giardina, B., Influence of feeding on metabolite excretion evidenced by urine ^{1}H NMR spectral profiles: a comparison between subjects living in Rome and subjects living at arctic latitudes (Svaldbard) **278**, 75

ELSEVIER

Clinica Chimica Acta 278 (1998) 283–286

Subject index

Volume 278 (1998)

Accreditation; Dynamic test scheduling; Decision trees; Clinical protocols; Quality assurance; Quality control; Certification; Reflex testing **278**, 243

Accreditation; Quality management; ISO standards **278**, 111

***N*-Acetyl-β-D-glucosaminidase (NAG)**; Isoenzyme; ELISA; Renal damage; Pyelonephritis **278**, 35

***N*-Acetyl-β-D-glucosaminidase isoenzymes**; Lysosomal enzymes; Bronchopulmonary dysplasia; Preterm infants; Diagnostic marker; Dexamethasone therapy **278**, 23

Aminoguanidine; Superoxide anion; Nitric oxide; Streptozotocin-induced diabetes **278**, 45

Arctic; ^{1}HNMR spectroscopy; Urinary metabolites **278**, 75

AssayFinder; Chemistry, clinical; Diagnostic tests; Databases, factual; Computer communications networks; Assay **278**, 95

Assay; Chemistry, clinical; Diagnostic tests; Databases, factual; Computer communications networks; AssayFinder **278**, 95

Automation; Immunohistochemistry **278**, 177

Automation; Immunohistochemistry; Evaluation **278**, 185

Automation; Robotics; Modular automation; Clinical laboratory **278**, 257

Automation; Robotics; Simulation; Cost analysis **278**, 269

Beta 2-microglobulin; Tartrate-resistant acid phosphatase; Primary hyperparathyroidism **278**, 61

Bronchopulmonary dysplasia; Lysosomal enzymes; Preterm infants; Diagnostic marker; Dexamethasone therapy; *N*-Acetyl-β-D-glucosaminidase isoenzymes **278**, 23

CAD risk; Vitamin C; Vitamin A; Vitamin E **278**, 55

Catalytic properties; Purification; Homogeneity; Stability; Commutability; Certified reference material **278**, 151

Certification; Dynamic test scheduling; Decision trees; Clinical protocols; Quality assurance; Quality control; Accreditation; Reflex testing **278**, 243

Certified reference material; Purification; Homogeneity; Stability; Commutability; Catalytic properties **278**, 151

Chemistry, clinical; Diagnostic tests; Databases, factual; Computer communications networks; Assay; AssayFinder **278**, 95

Chips; Molecular genetics; Standards **278**, 163

0009-8981/98/$ – see front matter Elsevier Science B.V. All rights reserved.
PII: S009-8981(98)00182-X

Clinical laboratories; Health care; Communications; Laboratory procedures; Laboratory finance **278**, 83

Clinical laboratory; Automation; Robotics; Modular automation **278**, 257

Clinical laboratory; Laboratory automation; Integration; Consolidation **278**, 203

Clinical protocols; Dynamic test scheduling; Decision trees; Quality assurance; Quality control; Accreditation; Certification; Reflex testing **278**, 243

Communications; Health care; Clinical laboratories; Laboratory procedures; Laboratory finance **278**, 83

Commutability; Purification; Homogeneity; Stability; Catalytic properties; Certified reference material **278**, 151

Computer communications networks; Chemistry, clinical; Diagnostic tests; Databases, factual; Assay; AssayFinder **278**, 95

Consolidation; Laboratory automation; Integration; Clinical laboratory **278**, 203

Control; Knowledge based systems; Specialized software; Validation; Trouble-shooting **278**, 193

Conveyor belt-line system; Laboratory information system; Laboratory automation system; Laboratory automation; Laboratory system; Laboratory robotic system **278**, 217

Cost analysis; Automation; Robotics; Simulation **278**, 269

Crush syndrome; Ischemic reperfusion; Nitric oxide; Tourniquet; Plasma **278**, 67

DNA chip; Peptide chip; Polypyrrole; Silicon device **278**, 171

Databases, factual; Chemistry, clinical; Diagnostic tests; Computer communications networks; Assay; AssayFinder **278**, 95

Decision trees; Dynamic test scheduling; Clinical protocols; Quality assurance; Quality control; Accreditation; Certification; Reflex testing **278**, 243

Dexamethasone therapy; Lysosomal enzymes; Bronchopulmonary dysplasia; Preterm infants; Diagnostic marker; *N*-Acetyl-β-D-glucosaminidase isoenzymes **278**, 23

Diagnostic marker; Lysosomal enzymes; Bronchopulmonary dysplasia; Preterm infants; Dexamethasone therapy; *N*-Acetyl-β-D-glucosaminidase isoenzymes **278**, 23

Diagnostic tests; Chemistry, clinical; Databases, factual; Computer communications networks; Assay; AssayFinder **278**, 95

Dynamic test scheduling; Decision trees; Clinical protocols; Quality assurance; Quality control; Accreditation; Certification; Reflex testing **278**, 243

ELISA; *N*-Acetyl-β-D-glucosaminidase (NAG); Isoenzyme; Renal damage; Pyelonephritis **278**, 35

Evaluation; Automation; Immunohistochemistry **278**, 185

Gas chromatography–mass spectrometry; Uremia; Protein binding; Reversed-phase chromatography; Spectrophotometry **278**, 1

Health care; Clinical laboratories; Communications; Laboratory procedures; Laboratory finance **278**, 83

^{1}HNMR spectroscopy; Arctic; Urinary metabolites **278**, 75

Homogeneity; Purification; Stability; Commutability; Catalytic properties; Certified reference material **278**, 151

ISO 9001 certification; Standards; Inspection **278**, 121

ISO standards; Quality management; Accreditation **278**, 111

Immunohistochemistry; Automation **278**, 177

Immunohistochemistry; Automation; Evaluation **278**, 185

Inspection; ISO 9001 certification; Standards **278**, 121

Integration; Laboratory automation; Consolidation; Clinical laboratory **278**, 203

Ischemic reperfusion; Nitric oxide; Tourniquet; Crush syndrome; Plasma **278**, 67

Isoenzyme; *N*-Acetyl-β-D-glucosaminidase (NAG); ELISA; Renal damage; Pyelonephritis **278**, 35

Knowledge based systems; Specialized software; Control; Validation; Trouble-shooting **278**, 193

Knowledge-based expert systems; Test result interpretation **278**, 229

Laboratory automation system; Laboratory information system; Laboratory automation; Laboratory system; Conveyor belt-line system; Laboratory robotic system **278**, 217

Laboratory automation; Integration; Consolidation; Clinical laboratory **278**, 203

Laboratory automation; Laboratory information system; Laboratory automation system; Laboratory system; Conveyor belt-line system; Laboratory robotic system **278**, 217

Laboratory finance; Health care; Clinical laboratories; Communications; Laboratory procedures **278**, 83

Laboratory information system; Laboratory automation system; Laboratory automation; Laboratory system; Conveyor belt-line system; Laboratory robotic system **278**, 217

Laboratory procedures; Health care; Clinical laboratories; Communications; Laboratory finance **278**, 83

Laboratory robotic system; Laboratory information system; Laboratory automation system; Laboratory automation; Laboratory system; Conveyor belt-line system **278**, 217

Laboratory system; Laboratory information system; Laboratory automation system; Laboratory automation; Conveyor belt-line system; Laboratory robotic system **278**, 217

Laboratory; Quality assurance; Metrology; Preanalytical; Sample identification; Traceability **278**, 103

Lysosomal enzymes; Bronchopulmonary dysplasia; Preterm infants; Diagnostic marker; Dexamethasone therapy; *N*-Acetyl-β-D-glucosaminidase isoenzymes **278**, 23

Metrology; Quality assurance; Preanalytical; Sample identification; Traceability; Laboratory **278**, 103

Modular automation; Automation; Robotics; Clinical laboratory **278**, 257

Molecular genetics; Chips; Standards **278**, 163

Nitric oxide; Aminoguanidine; Superoxide anion; Streptozotocin-induced diabetes **278**, 45

Nitric oxide; Ischemic reperfusion; Tourniquet; Crush syndrome; Plasma **278**, 67

Peptide chip; DNA chip; Polypyrrole; Silicon device **278**, 171

Plasma; Ischemic reperfusion; Nitric oxide; Tourniquet; Crush syndrome **278**, 67

Polypyrrole; DNA chip; Peptide chip; Silicon device **278**, 171

Preanalytical; Quality assurance; Metrology; Sample identification; Traceability; Laboratory **278**, 103

Preterm infants; Lysosomal enzymes; Bronchopulmonary dysplasia; Diagnostic marker; Dexamethasone therapy; *N*-Acetyl-β-D-glucosaminidase isoenzymes **278**, 23

Primary hyperparathyroidism; Beta 2-microglobulin; Tartrate-resistant acid phosphatase **278**, 61

Protein binding; Uremia; Reversed-phase chromatography; Spectrophotometry; Gas chromatography–mass spectrometry **278**, 1

Purification; Homogeneity; Stability; Commutability; Catalytic properties; Certified reference material **278**, 151

Pyelonephritis; *N*-Acetyl-β-D-glucosaminidase (NAG); Isoenzyme; ELISA; Renal damage **278**, 35

Quality assurance; Dynamic test scheduling; Decision trees; Clinical protocols; Quality control; Accreditation; Certification; Reflex testing **278**, 243

Quality assurance; Metrology; Preanalytical; Sample identification; Traceability; Laboratory **278**, 103

Quality control; Dynamic test scheduling; Decision trees; Clinical protocols; Quality assurance; Accreditation; Certification; Reflex testing **278**, 243

Quality management; ISO standards; Accreditation **278**, 111

Reflex testing; Dynamic test scheduling; Decision trees; Clinical protocols; Quality assurance; Quality control; Accreditation; Certification **278**, 243

Renal damage; *N*-Acetyl-β-D-glucosaminidase (NAG); Isoenzyme; ELISA; Pyelonephritis **278**, 35

Reversed-phase chromatography; Uremia; Protein binding; Spectrophotometry; Gas chromatography–mass spectrometry **278**, 1

Robotics; Automation; Modular automation; Clinical laboratory **278**, 257

Robotics; Automation; Simulation; Cost analysis **278**, 269

Sample identification; Quality assurance; Metrology; Preanalytical; Traceability; Laboratory **278**, 103

Silicon device; DNA chip; Peptide chip; Polypyrrole **278**, 171

Simulation; Automation; Robotics; Cost analysis **278**, 269

Specialized software; Knowledge based systems; Control; Validation; Trouble-shooting **278**, 193

Spectrophotometry; Uremia; Protein binding; Reversed-phase chromatography; Gas chromatography–mass spectrometry **278**, 1

Stability; Purification; Homogeneity; Commutability; Catalytic properties; Certified reference material **278**, 151

Standards; ISO 9001 certification; Inspection **278**, 121

Standards; Molecular genetics; Chips **278**, 163

Streptozotocin-induced diabetes; Aminoguanidine; Superoxide anion; Nitric oxide **278**, 45

Superoxide anion; Aminoguanidine; Nitric oxide; Streptozotocin-induced diabetes **278**, 45

Tartrate-resistant acid phosphatase; Beta 2-microglobulin; Primary hyperparathyroidism **278**, 61

Test result interpretation; Knowledge-based expert systems **278**, 229

Tourniquet; Ischemic reperfusion; Nitric oxide; Crush syndrome; Plasma **278**, 67

Traceability; Quality assurance; Metrology; Preanalytical; Sample identification; Laboratory **278**, 103

Trouble-shooting; Knowledge based systems; Specialized software; Control; Validation **278**, 193

Uremia; Protein binding; Reversed-phase chromatography; Spectrophotometry; Gas chromatography–mass spectrometry **278**, 1

Urinary metabolites; Arctic; ^{1}HNMR spectroscopy **278**, 75

Validation; Knowledge based systems; Specialized software; Control; Trouble-shooting **278**, 193

Vitamin A; Vitamin C; Vitamin E; CAD risk **278**, 55

Vitamin C; Vitamin A; Vitamin E; CAD risk **278**, 55

Vitamin E; Vitamin C; Vitamin A; CAD risk **278**, 55